ELSEVIER

Journal of Organometallic Chemistry 590 (1999) 267

Journal of Organometallic Chemistry

Author Index of Volume 590

Al-Allaf, T.A.K., 25
Alder, M.J., 123
Ang, H.G., 1
Ang, S.G., 1

Baker, P.K., 77
Batsanov, A.S., 169, 180
Beckert, R., 104
Biesemans, M., 88
Billert, T., 104
Binfeng, L., 234
Borisov, A.P., 222
Bräuchle, C., 129
Bridgewater, B.M., 169
Bruce, M.I., 184
Bryce, M.R., 180
Bubnov, Y.N., 227

Collin, J., 248
Cronje, S., 158
Cross, W.I., 123
Czap, N., 7

Dash, A.K., 46
Davies, D.A., 71
Deetlefs, M., 158
de la Luz, V., 237
Demuth, W., 153
Domingos, A., 248
Dong, G., 242
Dörfler, U., 71
Drew, M.G.B., 77
Du, S., 1

Fang, J.-M., 42
Farfán, N., 237
Flower, K.R., 123
Fontani, M., 7

Galindo, A., 202
Gibson, V.C., 115
Gielen, M., 88
Giuseppone, N., 248
Göbel, A., 104
Gómez, E., 237
Görls, H., 104
Gramlich, V., 88
Green, A., 180
Gridnev, I.D., 227
Grobelny, Z., 153
Gurskii, M.E., 227

Haas, U., 77
Herberhold, M., 71
Heropoulos, G.A., 63
Herrmann, R., 129
Horner, G.M., 52
Hor, T.S.A., 138
Howard, J.A.K., 169, 180
Hrnčiar, P., 261
Huang, X., 234
Huang, X.-Y., 242
Hughes, A.K., 169
Hu, H., 242

Imhof, W., 104
Itoh, M., 36
Iwata, K., 36

Jiang, C., 138
Jin, X.-P., 242
Johans, A.W., 77
Jong, S.-J., 42

Kawachi, A., 15
Kehr, G., 93
Kelly, B.D., 184
Ke, M., 184
Kemmer, M., 88
Kinart, C.M., 258
Kinart, W.J., 258
Kobayashi, M., 36
Kolehmainen, E., 261
Kostas, I.D., 63
Kruger, G.J., 158
Kumar Dey, D., 88
Kumar Saha, M., 88

Laschi, F., 7
Latif, L.A., 77
Lehmann, C.W., 7
Lin, C.-H., 42
Liu, L.-K., 138
Liu, Y.-Y., 46
Long, N.J., 115
Loos, D., 261
Low, P.J., 184
Lu, T.-H., 46

Mackie, S.C., 253
MacLaren, D.C., 253
Maercker, A., 153
Makhaev, V.D., 222
Marais, E.K., 158
Martin, J., 115
Mathieu, R., 119
Mathur, P., 46
Ma, Y., 234
Maynard, N.P., 52
Meehan, M.M., 77
Meerholz, K., 129
Micha-Screttas, M., 63
Mitra, S., 88
Montilla, F., 202

Nawar, N., 217

Otsa, E., 149
Özkar, S., 208

Pällin, V., 149
Pan, Y., 242
Pastor, A., 202
Pedersen, B., 129
Pelter, A., 227
Perjéssy, A., 261
Petrova, L.A., 222
Pritchard, R.G., 123

Rademacher, P., 227
Raubenheimer, H.G., 158
Rickard, C.E.F., 52
Roberts, R.M.G., 71

Salteris, C.S., 63
Santes, V., 237
Santos, I., 248
Scherer, W., 129
Schmälzlin, E., 129
Schneider, J.J., 7
Screttas, C.G., 63
Shen, Y.-Z., 242
Silver, J., 71
Skelton, B.W., 184
Smith, M.E., 184
Solan, G.A., 115
Spickermann, D., 7
Stander, Y., 158
Steele, B.R., 63
Stichbury, J.C., 115
Stolarzewicz, A., 153

Tamao, K., 15
Tanaka, Y., 15
Tekkaya, A., 208
Terzis, A., 63
Thompson, C., 158
Tung, S.-F., 46
Tuulmets, A., 149
Tylak, I., 258

Wagner, G., 129
Wang, L.-Y., 242
Wen, Y.-S., 138
White, A.H., 184
Willbold, S., 93
Willem, R., 88
Wilson, C., 169
Woodgate, P.D., 52
Wrackmeyer, B., 71, 93

Yan, Y.K., 138

Zanello, P., 7
Zanin, S., 77

PII: S0022-328X(99)00512-4

ELSEVIER

Journal of Organometallic Chemistry 590 (1999) 269–274

Journal of Organometallic Chemistry

Subject Index of Volume 590

Acetylene
Mechanism of the reaction of acetylene with Grignard reagents, 149
Acylferrocenes
The reactions of acylferrocenes with samarium diiodide: reduction, deoxygenation, reductive coupling and rearrangement, 42
Acyl halides
A novel method for the synthesis of (*Z*)-α-selenyl-α,β-unsaturated ketones via acylation of (*E*)-α-selanylvinylstannanes, 234
Adducts
Reactions of zwitterionic η^2-(alkyn-1-yl-borate)alkenyltin compounds with Lewis bases, 93
Alkoxides
(*R*)-Binaphthoxy diiodide lanthanides, 248
Alkyl
Synthesis and characterization of oxo–imido and alkyl–imido complexes of molybdenum(VI), 202
Alkynes
Reactions of zwitterionic η^2-(alkyn-1-yl-borate)alkenyltin compounds with Lewis bases, 93
Amine *N*-oxide
Rhenium(I) methoxo carbonyl complexes containing tetraphosphine or triphosphine ligands; facile separation and X-ray crystallographic studies of *d*/*l*- and *meso*-[{$Re_2(\mu\text{-}OMe)_2(CO)_6$}$_2$(μ,μ′-1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane)], 138
Arene
Studies of the bonding in iron(II) cyclopentadienyl and arene sandwich compounds. Part 5. An interpretation of the ^{57}Fe Mössbauer spectroscopic data of dibromoborylferrocenes, and related molecules, 71
Arsinido
The reactions of bis(trifluoromethyl) phosphine and arsine with trinuclear ruthenium carbonyl cluster: molecular structures of the trinuclear and double-linked trinuclear clusters $[Ru_3(CO)_8(\mu\text{-}H)_2\{\mu\text{-}P(CF_3)_2\}_2]$ and $[\{Ru_3(CO)_{10}(\mu\text{-}H)\}_2\{\mu\text{-}P(CF_3)_2\}_2]$, 1
1-Azabuta-1,3-dienes
Syntheses of complexes containing substituted 4-ethynylquinolines or 1-azabuta-1,3-dienes by addition of imines to a cationic butatrienylidene-ruthenium complex, 184
Azo enophile
The effect of solvent on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, 258
Azolinylidene complexes
Group 6 carbene complexes derived from lithiated azoles and the crystal structure of a molybdenum thiazolinylidene complex, 158
Azophosphines
Azo-containing phosphine complexes of palladium(II) and platinum(II) and their effectiveness in the Heck reaction: crystal and molecular structure of $[PdCl_2\{PPh_2\{1\text{-}(4\text{-}MeC_6H_4N_2)\text{-}2\text{-}OC(O)Me\text{-}C_{10}H_5\}\}]\cdot 2EtOH$, 123
Bidentate phosphines
New rhodium–ruthenium heterobimetallic complexes with bridging bi- or tri-dentate phosphine ligands, 217
Binaphthol
(*R*)-Binaphthoxy diiodide lanthanides, 248
Bis-aryl-oxalimidoylchloride
Chiral diazadiene and β-ketoimine ligands from the reaction of *N*,*N*′-bis-aryl-oxalimidoylchlorides with (*S*)-prolinol and their reactivity towards iron carbonyls, 104
3-Borabicyclo[3.3.1]nonanes
Conformational behavior of 3-borabicyclo[3.3.1]nonanes: 1. Study of molecular dynamics in 3-methoxy-7α-phenyl-1,5-dimethyl-3-borabicyclo[3.3.1]nonane, 227
Boron
Interphase transmetallation of copper(II) by spiroboronates, 52
Reactions of zwitterionic η^2-(alkyn-1-yl-borate)alkenyltin compounds with Lewis bases, 93
Butatrienylidene
Syntheses of complexes containing substituted 4-ethynylquinolines or 1-azabuta-1,3-dienes by addition of imines to a cationic butatrienylidene-ruthenium complex, 184
^{13}C- and ^{17}O-NMR spectroscopy
Characterization of electronic properties of the $Cr(CO)_3$ group in chromium, tricarbonyl [3-[(η^6-aryl)methylene]-*Z*-1(3*H*)-isobenzofuranones] using spectral and theoretical methods, 261
Carbene complexes
Group 6 carbene complexes derived from lithiated azoles and the crystal structure of a molybdenum thiazolinylidene complex, 158
Carbonyl
Acetylenic bond reduction anchored on $(CO)_6Fe_2(\mu\text{-}Se_2)$: synthesis and characterization of $[(CO)_6Fe_2\{\mu\text{-}SeC(H)=C(R)Se\}]$ and $[\{(CO)_6Fe_2Se_2\}_2\{\mu\text{-}C(H)\text{–}C(R)\}]$ (R = 3-Th, 2-Th; Th = C_4H_3S), 46
Carbonyl–methoxo complex
Rhenium(I) methoxo carbonyl complexes containing tetraphosphine or triphosphine ligands; facile separation and X-ray crystallographic studies of *d*/*l*- and *meso*-[{$Re_2(\mu\text{-}OMe)_2(CO)_6$}$_2$(μ,μ′-1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane)], 138
Chirality
(*R*)-Binaphthoxy diiodide lanthanides, 248
Chiral metallocene
Sterically demanding cyclopentadienyl chemistry: synthesis of iron and zirconium complexes of 1-phenyl-3-methyl-4,5,6,7-tetrahydroindenyl, 169
Chromium
Ligand substitution kinetics in $M(CO)_4(\eta^{2:2}$-norbornadiene) complexes (M = Cr, Mo, W): displacement of norbornadiene by bis(diphenylphosphino)alkanes, 208

PII: S0022-328X(99)00513-6

Synthesis, structure and spectroelectrochemistry of bis(η^6-1,4-tri-*tert*-butyl-benzene)chromium(0) and bis(η^5-1,2,4-tri-*tert*-butyl-cyclopentadienyl)cobalt(II). Dia- and paramagnetic sandwich complexes derived from sterically highly demanding π-ligands, 7

Chromium, tricarbonyl
Characterization of electronic properties of the $Cr(CO)_3$ group in chromium, tricarbonyl [3-[(η^6-aryl)methylene]-*Z*-1(3*H*)-isobenzofuranones] using spectral and theoretical methods, 261

Cluster
The reactions of bis(trifluoromethyl) phosphine and arsine with trinuclear ruthenium carbonyl cluster: molecular structures of the trinuclear and double-linked trinuclear clusters $[Ru_3(CO)_8](\mu\text{-}H)_2\{\mu\text{-}P(CF_3)_2\}_2]$ and $[\{Ru_3(CO)_{10}(\mu\text{-}H)\}_2\{\mu\text{-}P(CF_3)_2\}_2]$, 1

Cobalt
Synthesis, structure and spectroelectrochemistry of bis(η^6-1,4-tri-*tert*-butyl-benzene)chromium(0) and bis(η^5-1,2,4-tri-*tert*-butyl-cyclopentadienyl)cobalt(II). Dia- and paramagnetic sandwich complexes derived from sterically highly demanding π-ligands, 7

Conformation
Conformational behavior of 3-borabicyclo[3.3.1]nonanes: 1. Study of molecular dynamics in 3-methoxy-7α-phenyl-1,5-dimethyl-3-borabicyclo[3.3.1]nonane, 227

Conformational dynamics
Conformational analysis of dicarbonyl(methylcyclopentadienyl)(2-(diethylamino)-2-oxoethyl)iron(II): a spectroscopic and molecular mechanics study, 253

Copper(II)
Interphase transmetallation of copper(II) by spiroboronates, 52

15-Crown-5
New facts concerning the reaction of K^-, K^+(15-crown-5)$_2$ with phenyl glycidyl ether: unexpected formation of potassium cyclopropoxide, 153

Crystal structure
A novel π-donor–π-acceptor system: 1-(4,5-dimethyl-1,3-dithiol-2-ylidene)-1-ferrocenyl-3,3-dicyanopropene, 180
Synthesis and structures of a series of Ge–M (M = C, Si, and Sn) compounds derived from germyllithium containing three 2-(dimethylamino)phenyl groups on germanium, 15
Synthesis of lithium ω-(*m*- and *p*-lithiophenoxy)alkoxides modified with magnesium 2-ethoxyethoxide. Crystal structures of bis[4-(2-hydroxyethoxy)phenyl]mercury and bis[4-(3-hydroxypropoxy)phenyl]mercury, 63

Cyclooctadiene complexes
Reactions of organotin(IV) compounds with platinum complexes: Part II. Oxidative addition of SnR_xCl_{4-x} to $[Pt(COD)_2]$ and subsequent reactions with tertiary phosphines, 25

Cyclopentadienyl
Sterically demanding cyclopentadienyl chemistry: synthesis of iron and zirconium complexes of 1-phenyl-3-methyl-4,5,6,7-tetrahydroindenyl, 169
Studies of the bonding in iron(II) cyclopentadienyl and arene sandwich compounds. Part 5. An interpretation of the ^{57}Fe Mössbauer spectroscopic data of dibromoborylferrocenes, and related molecules, 71

Cymantrene
Ferrocenylethenylsilatranes and a cymantrenylsilatrane, 129

Dehydrochlorination
Preparation of vinylsilane from monosilane and vinyl chloride, 36

Deoxygenation
The reactions of acylferrocenes with samarium diiodide: reduction, deoxygenation, reductive coupling and rearrangement, 42

Diazadiene
Chiral diazadiene and β-ketoimine ligands from the reaction of *N*,*N*′-bis-aryl-oxalimidoylchlorides with (*S*)-prolinol and their reactivity towards iron carbonyls, 104

Dibromoboryl ferrocenes
Studies of the bonding in iron(II) cyclopentadienyl and arene sandwich compounds. Part 5. An interpretation of the ^{57}Fe Mössbauer spectroscopic data of dibromoborylferrocenes, and related molecules, 71

Dicarbonyl(methylcyclopentadienyl)(2 - (diethylamino) - 2 - oxoethyl) iron(II)
Conformational analysis of dicarbonyl(methylcyclopentadienyl)(2-(diethylamino)-2-oxoethyl)iron(II): a spectroscopic and molecular mechanics study, 253

2-(Dimethylamino)phenyl group
Synthesis and structures of a series of Ge–M (M = C, Si, and Sn) compounds derived from germyllithium containing three 2-(dimethylamino)phenyl groups on germanium, 15

Dimethyltin complex
Synthesis, spectroscopy and structure of [*N*-(2-carboxyphenyl)salicylideneiminato]dimethyltin(IV), 88

Diphosphinoalkanes
Ligand substitution kinetics in $M(CO)_4(\eta^{2:2}$-norbornadiene) complexes (M = Cr, Mo, W): displacement of norbornadiene by bis(diphenylphosphino)alkanes, 208

1,3-Dithiole
A novel π-donor–π-acceptor system: 1-(4,5-dimethyl-1,3-dithiol-2-ylidene)-1-ferrocenyl-3,3-dicyanopropene, 180

Double linked
The reactions of bis(trifluoromethyl) phosphine and arsine with trinuclear ruthenium carbonyl cluster: molecular structures of the trinuclear and double-linked trinuclear clusters $[Ru_3(CO)_8](\mu\text{-}H)_2\{\mu\text{-}P(CF_3)_2\}_2]$ and $[\{Ru_3(CO)_{10}(\mu\text{-}H)\}_2\{\mu\text{-}P(CF_3)_2\}_2]$, 1

EHT calculation
Characterization of electronic properties of the $Cr(CO)_3$ group in chromium, tricarbonyl [3-[(η^6-aryl)methylene]-*Z*-1(3*H*)-isobenzofuranones] using spectral and theoretical methods, 261

Electrochemistry
Synthesis, structure and spectroelectrochemistry of bis(η^6-1,4-tri-*tert*-butyl-benzene)chromium(0) and bis(η^5-1,2,4-tri-*tert*-butyl-cyclopentadienyl)cobalt(II). Dia- and paramagnetic sandwich complexes derived from sterically highly demanding π-ligands, 7

(*E*)-α-Selenylvinylstannanes
A novel method for the synthesis of (*Z*)-α-selenyl-α,β-unsaturated ketones via acylation of (*E*)-α-selanylvinylstannanes, 234

Ethene polymerization
Titanium and zirconium complexes bearing (*S*,*S*′)-ferrocenyldithiolate ligands, 115

4-Ethynylquinoline
Syntheses of complexes containing substituted 4-ethynylquinolines or 1-azabuta-1,3-dienes by addition of imines to a cationic butatrienylidene-ruthenium complex, 184

Ferocene dithiolate
Titanium and zirconium complexes bearing (*S*,*S*′)-ferrocenyldithiolate ligands, 115

Ferrocene
A novel π-donor–π-acceptor system: 1-(4,5-dimethyl-1,3-dithiol-2-ylidene)-1-ferrocenyl-3,3-dicyanopropene, 180
Ferrocenylethenylsilatranes and a cymantrenylsilatrane, 129

Solid-state mechanochemical synthesis of ferrocene, 222
Sterically demanding cyclopentadienyl chemistry: synthesis of iron and zirconium complexes of 1-phenyl-3-methyl-4,5,6,7-tetrahydroindenyl, 169

Germane
Synthesis and structures of a series of Ge–M (M = C, Si, and Sn) compounds derived from germyllithium containing three 2-(dimethylamino)phenyl groups on germanium, 15
Germyllithium
Synthesis and structures of a series of Ge–M (M = C, Si, and Sn) compounds derived from germyllithium containing three 2-(dimethylamino)phenyl groups on germanium, 15
Grignard reagent
Mechanism of the reaction of acetylene with Grignard reagents, 149
Group 6 metals
Group 6 carbene complexes derived from lithiated azoles and the crystal structure of a molybdenum thiazolinylidene complex, 158

Heck
Azo-containing phosphine complexes of palladium(II) and platinum(II) and their effectiveness in the Heck reaction: crystal and molecular structure of $[PdCl_2\{PPh_2\{1\text{-}(4\text{-}MeC_6H_4N_2)\text{-}2\text{-}OC(O)Me\text{–}C_{10}H_5\}\}\cdot 2EtOH$, 123
Heterometallic complexes
New rhodium–ruthenium heterobimetallic complexes with bridging bi- or tri-dentate phosphine ligands, 217

Imido
Synthesis and characterization of oxo–imido and alkyl–imido complexes of molybdenum(VI), 202
Intramolecular charge-transfer
A novel π-donor–π-acceptor system: 1-(4,5-dimethyl-1,3-dithiol-2-ylidene)-1-ferrocenyl-3,3-dicyanopropene, 180
IR
Conformational analysis of dicarbonyl(methylcyclopentadienyl)(2-(diethylamino)-2-oxoethyl)iron(II): a spectroscopic and molecular mechanics study, 253
Iron
Acetylenic bond reduction anchored on $(CO)_6Fe_2(\mu\text{-}Se_2)$: synthesis and characterization of $[(CO)_6Fe_2\{\mu\text{-}SeC(H)=C(R)Se\}]$ and $[\{(CO)_6Fe_2Se_2\}_2\{\mu\text{-}C(H)\text{–}C(R)\}]$ (R = 3-Th, 2-Th; Th = C_4H_3S), 46
Studies of the bonding in iron(II) cyclopentadienyl and arene sandwich compounds. Part 5. An interpretation of the ^{57}Fe Mössbauer spectroscopic data of dibromoborylferrocenes, and related molecules, 71
Iron carbonyls
Chiral diazadiene and β-ketoimine ligands from the reaction of *N*,*N*′-bis-aryl-oxalimidoylchlorides with (*S*)-prolinol and their reactivity towards iron carbonyls, 104
Sterically demanding cyclopentadienyl chemistry: synthesis of iron and zirconium complexes of 1-phenyl-3-methyl-4,5,6,7-tetrahydroindenyl, 169
IR spectroscopy
Characterization of electronic properties of the $Cr(CO)_3$ group in chromium, tricarbonyl [3-[(η^6-aryl)methylene]-*Z*-1(3*H*)-isobenzofuranones] using spectral and theoretical methods, 261
Isobenzofuranone
Characterization of electronic properties of the $Cr(CO)_3$ group in chromium, tricarbonyl [3-[(η^6-aryl)methylene]-*Z*-1(3*H*)-isobenzofuranones] using spectral and theoretical methods, 261

β-Ketoimine
Chiral diazadiene and β-ketoimine ligands from the reaction of *N*,*N*′-bis-aryl-oxalimidoylchlorides with (*S*)-prolinol and their reactivity towards iron carbonyls, 104
Kinetics
Mechanism of the reaction of acetylene with Grignard reagents, 149

Lanthanides
(*R*)-Binaphthoxy diiodide lanthanides, 248
Lithium
Synthesis of lithium ω-(*m*- and *p*-lithiophenoxy)alkoxides modified with magnesium 2-ethoxyethoxide. Crystal structures of bis[4-(2-hydroxyethoxy)phenyl]mercury and bis[4-(3-hydroxypropoxy)phenyl]mercury, 63
Lithium naphthalene
Synthesis of lithium ω-(*m*- and *p*-lithiophenoxy)alkoxides modified with magnesium 2-ethoxyethoxide. Crystal structures of bis[4-(2-hydroxyethoxy)phenyl]mercury and bis[4-(3-hydroxypropoxy)phenyl]mercury, 63
Luminescent
Synthesis and characterisation of alkyl-*N*,*N*′-bis(salicylidene)ethylenediamino- and alkyl-*N*,*N*′-bis(salicylidene)-1,2-phenylenediaminogallium or indium complexes: crystal structure of methyl-*N*,*N*′-bis(salicylidene)-1,2-phenylenediaminoindium, 242

Magnesium
Synthesis of lithium ω-(*m*- and *p*-lithiophenoxy)alkoxides modified with magnesium 2-ethoxyethoxide. Crystal structures of bis[4-(2-hydroxyethoxy)phenyl]mercury and bis[4-(3-hydroxypropoxy)phenyl]mercury, 63
Mechanism
Mechanism of the reaction of acetylene with Grignard reagents, 149
Mechanochemistry
Solid-state mechanochemical synthesis of ferrocene, 222
Mercury
Synthesis of lithium ω-(*m*- and *p*-lithiophenoxy)alkoxides modified with magnesium 2-ethoxyethoxide. Crystal structures of bis[4-(2-hydroxyethoxy)phenyl]mercury and bis[4-(3-hydroxypropoxy)phenyl]mercury, 63
Metal atoms
Synthesis, structure and spectroelectrochemistry of bis(η^6-1,4-tri-*tert*-butyl-benzene)chromium(0) and bis(η^5-1,2,4-tri-*tert*-butyl-cyclopentadienyl)cobalt(II). Dia- and paramagnetic sandwich complexes derived from sterically highly demanding π-ligands, 7
Metalloene reactions
The effect of solvent on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, 258
Molecular dynamics
Conformational behavior of 3-borabicyclo[3.3.1]nonanes: 1. Study of molecular dynamics in 3-methoxy-7α-phenyl-1,5-dimethyl-3-borabicyclo[3.3.1]nonane, 227
Molecular mechanics
Conformational analysis of dicarbonyl(methylcyclopentadienyl)(2-(diethylamino)-2-oxoethyl)iron(II): a spectroscopic and molecular mechanics study, 253
Molecular structure
The reactions of bis(trifluoromethyl) phosphine and arsine with trinuclear ruthenium carbonyl cluster: molecular structures of the trinuclear and double-linked trinuclear clusters $[Ru_3(CO)_8](\mu\text{-}H)_2\{\mu\text{-}P(CF_3)_2\}_2]$ and $[\{Ru_3(CO)_{10}(\mu\text{-}H)\}_2\{\mu\text{-}P(CF_3)_2\}_2]$, 1

Molybdenum
Ligand substitution kinetics in $M(CO)_4(\eta^{2:2}$-norbornadiene) complexes (M = Cr, Mo, W): displacement of norbornadiene by bis(diphenylphosphino)alkanes, 208
Synthesis and characterization of oxo–imido and alkyl–imido complexes of molybdenum(VI), 202
Synthesis and structural analysis of the mixed-ligand seven-coordinate complexes $[MI_2(CO)_2\{P(OR)_3\}\{Ph_2P(CH_2)_nPPh_2\}]$ (M = Mo, R = Me, Et, $n = 1$; R = Et, ^{i}Pr, Ph, $n = 2$; M = W, R = Ph, $n = 1$; R = Me, Et, ^{i}Pr, $n = 2$). A system where the ligand cone angle and ligand 'bite' angle do not affect the coordination geometry, 77
Monosilane
Preparation of vinylsilane from monosilane and vinyl chloride, 36
Mössbauer
Studies of the bonding in iron(II) cyclopentadienyl and arene sandwich compounds. Part 5. An interpretation of the ^{57}Fe Mössbauer spectroscopic data of dibromoborylferrocenes, and related molecules, 71
Multinuclear aggregates
Rhenium(I) methoxo carbonyl complexes containing tetraphosphine or triphosphine ligands; facile separation and X-ray crystallographic studies of *d/l*- and *meso*-[$\{Re_2(\mu$-$OMe)_2(CO)_6\}_2(\mu,\mu'$-1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane)], 138

NMR
Conformational analysis of dicarbonyl(methylcyclopentadienyl)(2-(diethylamino)-2-oxoethyl)iron(II): a spectroscopic and molecular mechanics study, 253
Reactions of zwitterionic η^2-(alkyn-1-yl-borate)alkenyltin compounds with Lewis bases, 93
NMR spectra
Synthesis, spectroscopy and structure of [*N*-(2-carboxyphenyl)-salicylideneiminato]dimethyltin(IV), 88
NMR spectroscopy
Synthesis and characterization of two cyclic organosiloxanes by multinuclear NMR spectroscopy and X-ray crystallography, 237
Non-linear optics
Ferrocenylethenylsilatranes and a cymantrenylsilatrane, 129
Norbornadiene
Ligand substitution kinetics in $M(CO)_4(\eta^{2:2}$-norbornadiene) complexes (M = Cr, Mo, W): displacement of norbornadiene by bis(diphenylphosphino)alkanes, 208

Organometallic complex
Synthesis and characterisation of alkyl-*N*,*N*′-bis(salicylidene)ethylenediamino- and alkyl-*N*,*N*′-bis(salicylidene)-1,2-phenylenediaminogallium or indium complexes: crystal structure of methyl-*N*,*N*′-bis(salicylidene)-1,2-phenylenediaminoindium, 242
Organotin complexes
Reactions of organotin(IV) compounds with platinum complexes: Part II. Oxidative addition of SnR_xCl_{4-x} to $[Pt(COD)_2]$ and subsequent reactions with tertiary phosphines, 25
Oxaallyliron
Conformational analysis of dicarbonyl(methylcyclopentadienyl)(2-(diethylamino)-2-oxoethyl)iron(II): a spectroscopic and molecular mechanics study, 253
Oxo
Synthesis and characterization of oxo–imido and alkyl–imido complexes of molybdenum(VI), 202

Palladium
Azo-containing phosphine complexes of palladium(II) and platinum(II) and their effectiveness in the Heck reaction: crystal and molecular structure of $[PdCl_2\{PPh_2\{1$-$(4$-$MeC_6H_4N_2)$-2-$OC(O)Me$–$C_{10}H_5\}]\cdot 2EtOH$, 123
Phase transfer
Interphase transmetallation of copper(II) by spiroboronates, 52
Phenoxyalcohols
Synthesis of lithium ω-(*m*- and *p*-lithiophenoxy)alkoxides modified with magnesium 2-ethoxyethoxide. Crystal structures of bis[4-(2-hydroxyethoxy)phenyl]mercury and bis[4-(3-hydroxypropoxy)phenyl]mercury, 63
Phenyl glycidyl ether
New facts concerning the reaction of K^-, $K^+(15\text{-crown-}5)_2$ with phenyl glycidyl ether: unexpected formation of potassium cyclopropoxide, 153
Phosphido
The reactions of bis(trifluoromethyl) phosphine and arsine with trinuclear ruthenium carbonyl cluster: molecular structures of the trinuclear and double-linked trinuclear clusters $[Ru_3(CO)_8](\mu$-$H)_2\{\mu$-$P(CF_3)_2\}_2]$ and $[\{Ru_3(CO)_{10}(\mu$-$H)\}_2\{\mu$-$P(CF_3)_2\}_2]$, 1
Phosphine
Synthesis and structural analysis of the mixed-ligand seven-coordinate complexes $[MI_2(CO)_2\{P(OR)_3\}\{Ph_2P(CH_2)_nPPh_2\}]$ (M = Mo, R = Me, Et, $n = 1$; R = Et, ^{i}Pr, Ph, $n = 2$; M = W, R = Ph, $n = 1$; R = Me, Et, ^{i}Pr, $n = 2$). A system where the ligand cone angle and ligand 'bite' angle do not affect the coordination geometry, 77
Phosphine complexes
Reactions of organotin(IV) compounds with platinum complexes: Part II. Oxidative addition of SnR_xCl_{4-x} to $[Pt(COD)_2]$ and subsequent reactions with tertiary phosphines, 25
Phosphite
Synthesis and structural analysis of the mixed-ligand seven-coordinate complexes $[MI_2(CO)_2\{P(OR)_3\}\{Ph_2P(CH_2)_nPPh_2\}]$ (M = Mo, R = Me, Et, $n = 1$; R = Et, ^{i}Pr, Ph, $n = 2$; M = W, R = Ph, $n = 1$; R = Me, Et, ^{i}Pr, $n = 2$). A system where the ligand cone angle and ligand 'bite' angle do not affect the coordination geometry, 77
Pinacol
The reactions of acylferrocenes with samarium diiodide: reduction, deoxygenation, reductive coupling and rearrangement, 42
Platinum
Azo-containing phosphine complexes of palladium(II) and platinum(II) and their effectiveness in the Heck reaction: crystal and molecular structure of $[PdCl_2\{PPh_2\{1$-$(4$-$MeC_6H_4N_2)$-2-$OC(O)Me$–$C_{10}H_5\}]\cdot 2EtOH$, 123
Platinum complexes
Reactions of organotin(IV) compounds with platinum complexes: Part II. Oxidative addition of SnR_xCl_{4-x} to $[Pt(COD)_2]$ and subsequent reactions with tertiary phosphines, 25
Potassium anion
New facts concerning the reaction of K^-, $K^+(15\text{-crown-}5)_2$ with phenyl glycidyl ether: unexpected formation of potassium cyclopropoxide, 153
Potassium cyclopropoxide
New facts concerning the reaction of K^-, $K^+(15\text{-crown-}5)_2$ with phenyl glycidyl ether: unexpected formation of potassium cyclopropoxide, 153
2,6-Pyridinediol
Synthesis and characterization of two cyclic organosiloxanes by multinuclear NMR spectroscopy and X-ray crystallography, 237

Rearrangement
The reactions of acylferrocenes with samarium diiodide: reduction, deoxygenation, reductive coupling and rearrangement, 42

Reduction
The reactions of acylferrocenes with samarium diiodide: reduction, deoxygenation, reductive coupling and rearrangement, 42
Resonance stabilization
Conformational analysis of dicarbonyl(methylcyclopentadienyl)(2-(diethylamino)-2-oxoethyl)iron(II): a spectroscopic and molecular mechanics study, 253
Rhenium carbonyl
Rhenium(I) methoxo carbonyl complexes containing tetraphosphine or triphosphine ligands; facile separation and X-ray crystallographic studies of *d*/*l*- and *meso*-[{$Re_2(\mu$-$OMe)_2(CO)_6\}_2(\mu,\mu'$-1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane)], 138
Rhodium
New rhodium–ruthenium heterobimetallic complexes with bridging bi- or tri-dentate phosphine ligands, 217
Ruthenium
New rhodium–ruthenium heterobimetallic complexes with bridging bi- or tri-dentate phosphine ligands, 217
Syntheses of complexes containing substituted 4-ethynylquinolines or 1-azabuta-1,3-dienes by addition of imines to a cationic butatrienylidene-ruthenium complex, 184

Samarium diiodide
The reactions of acylferrocenes with samarium diiodide: reduction, deoxygenation, reductive coupling and rearrangement, 42
Sandwich complexes
Synthesis, structure and spectroelectrochemistry of bis(η^6-1,4-tri-*tert*-butyl-benzene)chromium(0) and bis(η^5-1,2,4-tri-*tert*-butyl-cyclopentadienyl)cobalt(II). Dia- and paramagnetic sandwich complexes derived from sterically highly demanding π-ligands, 7
Schiff base
Synthesis and characterisation of alkyl-*N*,*N*′-bis(salicylidene)ethylenediamino- and alkyl-*N*,*N*′-bis(salicylidene)-1,2-phenylenediaminogallium or indium complexes: crystal structure of methyl-*N*,*N*′-bis(salicylidene)-1,2-phenylenediaminoindium, 242
Synthesis, spectroscopy and structure of [*N*-(2-carboxyphenyl)-salicylideneiminato]dimethyltin(IV), 88
Second-sphere coordination
Interphase transmetallation of copper(II) by spiroboronates, 52
Selenium
Acetylenic bond reduction anchored on $(CO)_6Fe_2(\mu$-$Se_2)$: synthesis and characterization of [$(CO)_6Fe_2\{\mu$-SeC(H)=C(R)Se}] and [{$(CO)_6Fe_2Se_2\}_2\{\mu$-C(H)–C(R)}] (R = 3-Th, 2-Th; Th = C_4H_3S), 46
Seven-coordinate
Synthesis and structural analysis of the mixed-ligand seven-coordinate complexes [$MI_2(CO)_2\{P(OR)_3\}\{Ph_2P(CH_2)_nPPh_2\}$] (M = Mo, R = Me, Et, $n = 1$; R = Et, ^{i}Pr, Ph, $n = 2$; M = W, R = Ph, $n = 1$; R = Me, Et, ^{i}Pr, $n = 2$). A system where the ligand cone angle and ligand 'bite' angle do not affect the coordination geometry, 77
Silane
Synthesis and structures of a series of Ge–M (M = C, Si, and Sn) compounds derived from germyllithium containing three 2-(dimethylamino)phenyl groups on germanium, 15
Silatrane
Ferrocenylethenylsilatranes and a cymantrenylsilatrane, 129
Siloxane
Synthesis and characterization of two cyclic organosiloxanes by multinuclear NMR spectroscopy and X-ray crystallography, 237
Singlet oxygen
The effect of solvent on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, 258
Solid-state reactions
Solid-state mechanochemical synthesis of ferrocene, 222
Solvation effects
Mechanism of the reaction of acetylene with Grignard reagents, 149
Solvent effect
The effect of solvent on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, 258
Spiroboronate
Interphase transmetallation of copper(II) by spiroboronates, 52
(*S*)-Prolinol
Chiral diazadiene and β-ketoimine ligands from the reaction of *N*,*N*′-bis-aryl-oxalimidoylchlorides with (*S*)-prolinol and their reactivity towards iron carbonyls, 104
Stannane
Synthesis and structures of a series of Ge–M (M = C, Si, and Sn) compounds derived from germyllithium containing three 2-(dimethylamino)phenyl groups on germanium, 15
Substitution
Ligand substitution kinetics in $M(CO)_4(\eta^{2\text{-}2}$-norbornadiene) complexes (M = Cr, Mo, W): displacement of norbornadiene by bis(diphenylphosphino)alkanes, 208
Synthesis
A novel method for the synthesis of (*Z*)-α-selenyl-α,β-unsaturated ketones via acylation of (*E*)-α-selanylvinylstannanes, 234
Solid-state mechanochemical synthesis of ferrocene, 222

Tetraphosphine
Rhenium(I) methoxo carbonyl complexes containing tetraphosphine or triphosphine ligands; facile separation and X-ray crystallographic studies of *d*/*l*- and *meso*-[{$Re_2(\mu$-$OMe)_2(CO)_6\}_2(\mu,\mu'$-1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane)], 138
Thermal reaction
Preparation of vinylsilane from monosilane and vinyl chloride, 36
Thiopheneacetylene
Acetylenic bond reduction anchored on $(CO)_6Fe_2(\mu$-$Se_2)$: synthesis and characterization of [$(CO)_6Fe_2\{\mu$-SeC(H)=C(R)Se}] and [{$(CO)_6Fe_2Se_2\}_2\{\mu$-C(H)–C(R)}] (R = 3-Th, 2-Th; Th = C_4H_3S), 46
Tin
Reactions of zwitterionic η^2-(alkyn-1-yl-borate)alkenyltin compounds with Lewis bases, 93
Titanium
Titanium and zirconium complexes bearing (*S*,*S*′)-ferrocenyldithiolate ligands, 115
Transmetallation
Group 6 carbene complexes derived from lithiated azoles and the crystal structure of a molybdenum thiazolinylidene complex, 158
Trialkylgallium
Synthesis and characterisation of alkyl-*N*,*N*′-bis(salicylidene)ethylenediamino- and alkyl-*N*,*N*′-bis(salicylidene)-1,2-phenylenediaminogallium or indium complexes: crystal structure of methyl-*N*,*N*′-bis(salicylidene)-1,2-phenylenediaminoindium, 242
Trialkylindium
Synthesis and characterisation of alkyl-*N*,*N*′-bis(salicylidene)-ethylenediamino - and alkyl - *N*,*N*′ - bis(salicylidene) - 1,2-

phenylenediaminogallium or indium complexes: crystal structure of methyl-*N*,*N*′-bis(salicylidene)-1,2-phenylenediaminoindium, 242
Tridentate phosphines
New rhodium–ruthenium heterobimetallic complexes with bridging bi- or tri-dentate phosphine ligands, 217
Triphosphine
Rhenium(I) methoxo carbonyl complexes containing tetraphosphine or triphosphine ligands; facile separation and X-ray crystallographic studies of *d*/*l*- and *meso*-[{$Re_2(\mu$-$OMe)_2(CO)_6\}_2$(μ,μ'-1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane)], 138
Tungsten
Ligand substitution kinetics in $M(CO)_4(\eta^{2:2}$-norbornadiene) complexes (M = Cr, Mo, W): displacement of norbornadiene by bis(diphenylphosphino)alkanes, 208
Synthesis and structural analysis of the mixed-ligand seven-coordinate complexes [$MI_2(CO)_2\{P(OR)_3\}\{Ph_2P(CH_2)_nPPh_2\}$] (M = Mo, R = Me, Et, *n* = 1; R = Et, ^{i}Pr, Ph, *n* = 2; M = W, R = Ph, *n* = 1; R = Me, Et, ^{i}Pr, *n* = 2). A system where the ligand cone angle and ligand 'bite' angle do not affect the coordination geometry, 77

Vinyl chloride
Preparation of vinylsilane from monosilane and vinyl chloride, 36
Vinylsilane
Preparation of vinylsilane from monosilane and vinyl chloride, 36

Wood
Interphase transmetallation of copper(II) by spiroboronates, 52

X-ray
Acetylenic bond reduction anchored on $(CO)_6Fe_2(\mu$-$Se_2)$: synthesis and characterization of [$(CO)_6Fe_2\{\mu$-SeC(H)=C(R)Se}] and [{$(CO)_6Fe_2Se_2\}_2\{\mu$-C(H)–C(R)}] (R = 3-Th, 2-Th; Th = C_4H_3S), 46
X-ray structure
Synthesis and characterization of two cyclic organosiloxanes by multinuclear NMR spectroscopy and X-ray crystallography, 237
Synthesis, spectroscopy and structure of [*N*-(2-carboxyphenyl)-salicylideneiminato]dimethyltin(IV), 88

Zirconium
Sterically demanding cyclopentadienyl chemistry: synthesis of iron and zirconium complexes of 1-phenyl-3-methyl-4,5,6,7-tetrahydroindenyl, 169
Titanium and zirconium complexes bearing (*S*,*S*′)-ferrocenyldithiolate ligands, 115
(*Z*)-α-Selenyl-α,β-unsaturated ketones
A novel method for the synthesis of (*Z*)-α-selenyl-α,β-unsaturated ketones via acylation of (*E*)-α-selanylvinylstannanes, 234
Zwitterionic compounds
Reactions of zwitterionic η^2-(alkyn-1-yl-borate)alkenyltin compounds with Lewis bases, 93